



WERNER

www.wernerbrushware.co.za



SPRINGBOK BROOM & BRUSH 2026 GENERAL PRICE LIST



SPRINGBOK BROOM & BRUSH (PTY) LTD
Reg No. 1994/002913/07
VAT No. 4510157557

TERMS AND CONDITIONS OF SALE

This list cancels all price lists prior to 1 April 2026.

Prices are subject to change at any time without prior notice.

ALL PRICES EXCLUDE VAT

1. Terms: Payment due 30 Days from date of statement for approved account customers.
2. Orders of R2000.00 and above will be delivered free of charge in Gauteng.
3. Orders over R4000.00 will be despatched to areas outside Gauteng, via road transport (RSA only).
4. Orders under R2000.00 must be collected and a minimum collection order of R750.00 is applicable.
5. No order under R750.00 will be accepted.
6. Prices are exclusive of VAT and are subject to change.
7. Good shall remain the property of Springbok Broom & Brush Company (Pty) Ltd. until the account has been settled in full.
8. Claims for shortages or damages must be lodged within 21 days of receipt of goods.
9. No goods delivered may be returned without prior written authorisation from management.

Please note that a handling fee will be charged on all returns.

Our banking details for deposits/transfers:are:

FIRST NATIONAL BANK
SOUTHDALÉ
BRANCH CODE: 254205
ACCOUNT NO: 50551588485

Proof of payment must be emailed to debtors@wernerbrushware.co.za



WERNER
www.wernerbrushware.co.za

WIRE WHEELS
CRIMPED WIRE



- Carbon Steel Wire
- Stainless Steel Wire
- Brass Wire

PAGE 2, 3

WIRE WHEELS
KNOTTED WIRE



- Carbon Steel Wire

PAGE 3

CUP BRUSHES
CRIMPED WIRE



- Carbon Steel Wire
- Stainless Steel Wire
- Brass Wire

PAGE 4

CUP BRUSHES
KNOTTED WIRE



- Carbon Steel Wire

PAGE 4

PORT CLEANING
END BRUSHES



- Carbon Steel Wire
- Stainless Steel Wire
- Brass Wire

PAGE 5

**CONDENSER &
BOILER TUBE**
BRUSHES



- Steel Wire
- Brass Wire
- Nylon Bristle

Crimped Stainless Steel & Nylon available on request

PAGE 6

MISCELLANEOUS

- One Meter Rods • Sewer Brushes • Decarbonising Sets

PAGE 6

GENERAL
BRUSHWARE



- Sweeping Brooms
- Hand & Block Brushes
- Mops

PAGE 7

FILAMENTS AND APPLICATIONS

Werner's range of industrial power brushes feature crimped or twist-knotted filaments in various steel types as well as brass.

Carbon and stainless steel wire brushes are used for descaling, deburring, derusting, surface cleaning, roughening and paint stripping. Brass is ideal for less aggressive applications and use on non-ferrous materials.

Some condenser tube brushes are available with less abrasive nylon filaments, while most of our specialised industrial and agricultural brushes feature PET, polyethelene, and polyprop bristle - depending on the application.

SAFETY NOTES

To guarantee operating safety, the maximum rotation speed must never be exceeded. For best results, also ensure that the correct amount of pressure is used. It is imperative that users wear eye and ear protection, a dust mask and gloves, and always use a protective machine guard on hand-held and mounted bench grinders.



Use Eye
Protection




Use Hearing
Protection



Wear
Gloves



Use protective
machine guards

TYPE OF MATERIAL		PROPERTIES	APPLICATIONS
	CARBON STEEL WIRE	Flexible wire with good tensile strength and memory. The degree of abrasiveness varies with the wire diameter.	Ferrous metal surfaces, dry non-corrosive areas, wood, rubber.
	KNOTTED STEEL WIRE	High-quality steel wire with high tensile strength. Flares when used, allowing for contouring of corners, edges and surfaces.	Aggressive impact action for heavy-duty surface cleaning, deburring and roughening applications.
	STAINLESS STEEL WIRE	Aggressive, stiff, poor memory. Used where the residue from normal steel wire would impair metal surfaces.	Stainless steel, aluminium and non-ferrous metals and alloys. Titanium, ceramics, glass, heat-resistant steel.
	BRASS WIRE	Soft brushing action, excellent flexibility. Less durable. No sparks, does not contaminate non-ferrous metals.	Wet and dry non-corrosive areas, used on non-ferrous metals, plastics, woods and rubber.
	NYLON BRISTLE	Nylon bristles ensure smooth and gentle cleaning, while effectively reducing the risk of surface damage.	Used in cleaning interior of tubes and removing soft deposits in condenser and heat exchanger equipment.



WERNER

www.wernerbrushware.co.za

WIRE WHEELS (BUFFING BRUSHES) - CRIMPED CARBON STEEL ●

CODE	DIAM	WIDTH	BORE	WIRE	PRICE EX
W496	50mm	12mm	12.7mm	0.30	R 198,50
W506/12.7	76mm	12mm	12.7mm	0.30	R 273,20
W509	100mm	12mm	12.7mm	0.30	R 284,10
W580	100mm	20mm	12.7mm	0.30	R 424,00
W510	100mm	25mm	12.7mm	0.30	R 496,70
W592	114mm	40mm	**	0.30	R 900,30
W512/12.7	127mm	12mm	12.7mm	0.30	R 316,10
W512/16	127mm	12mm	16mm	0.30	R 358,10
W513/12.7	127mm	20mm	12.7mm	0.30	R 485,50
W513/16	127mm	20mm	16mm	0.30	R 544,30
W517/12.7	150mm	12mm	12.7mm	0.30	R 359,90
W517/16	150mm	12mm	16mm	0.30	R 407,20
W518	150mm	20mm	**	0.30	R 378,40
W536	150mm	22mm	**	0.30	R 562,60
W519/30W	150mm	25mm	**	0.30	R 467,70
W519/40W	150mm	25mm	**	0.40	R 463,40
W541	150mm	32mm	**	0.30	R 880,90
W533	150mm	40mm	**	0.30	R 1 091,00
W521	150mm	50mm	**	0.30	R 1 265,10
W557	200mm	20mm	**	0.30	R 521,00
W526/30W	200mm	25mm	**	0.30	R 686,20
W526/40W	200mm	25mm	**	0.40	R 1 029,70
W528	200mm	32mm	**	0.30	R 1 145,30
W529	200mm	40mm	**	0.30	R 1 493,30
W530	200mm	50mm	**	0.30	R 1 746,00
W559	200mm	150mm	**	0.40	R 4 620,10
W531	250mm	25mm	**	0.40	R 1 405,30
W589	250mm	32mm	**	0.30	R 2 056,60
W532	250mm	40mm	**	0.40	R 2 125,10
W534	250mm	50mm	**	0.40	R 2 474,80
W474	266mm	52mm	80mm	0.40	R 2 550,00
W535	305mm	25mm	80mm	0.40	R 1 687,90
W540	305mm	40mm	**	0.40	R 2 548,40
W550	305mm	50mm	**	0.40	R 2 963,00


WIRE WHEELS (BUFFING BRUSHES) - CRIMPED STAINLESS STEEL ●

CODE	DIAM	WIDTH	BORE	WIRE	PRICE EX
WSS567	100mm	25mm	16mm	0.30	R 695,40
WSS561	150mm	12mm	12.7mm	0.30	R 503,90
WSS562	150mm	25mm	**	0.30	R 654,80
WSS566	200mm	25mm	**	0.30	R 960,70
WSS565	250mm	25mm	**	0.40	R 1 967,50

WIRE WHEELS - CRIMPED BRASS ●

CODE	DIAM	WIDTH	BORE	WIRE	PRICE (EX)
WB309	150mm	25mm	**	0.15	R 2 043,30

** Sets of 5 reducing bushes supplied with brushes.
Sizes 12.7mm • 15.88mm • 19.05mm • 22.23mm • 25.4mm
(More sizes available on request)



Wire Wheel

B = Bore • D = Diameter • W = Width

WIRE WHEELS - KNOTTED CARBON STEEL ●

CODE	DIAM	WIDTH	BORE	WIRE	PRICE EX
KW612/16/40	100mm	10mm	16mm	0.50	R 192,90
KW602/16/40	150mm	12mm	16mm	0.50	R 588,60
KW603/16/40	150mm	25mm	16mm	0.50	R 766,50
KW611/19/40	200mm	12mm	19mm	0.50	R 1 005,90
KW606/80	200mm	25mm	**	0.80	R 1 156,80
KW617/80	200mm	35mm	**	0.80	R 1 688,50
KW605/80	250mm	25mm	**	0.80	R 2 380,40
KW607/80	305mm	40mm	**	0.80	R 4 055,50

** Sets of 5 reducing bushes supplied with brushes.
Sizes 12.7mm • 15.88mm • 19.05mm • 22.23mm • 25.4mm

MOUNTED WIRE WHEELS 6mm SHANK - CRIMPED CARBON STEEL ●

CODE	DIAM	WIDTH	WIRE	PRICE EX
MW901	40mm	6mm	0.30	R 97,30
MW911	50mm	6mm	0.30	R 92,90
MW921	76mm	6mm	0.30	R 116,18
MW902	40mm	12mm	0.30	R 121,60
MW904	40mm	25mm	0.30	R 192,90
MW914	50mm	12mm	0.30	R 113,40
MW912	50mm	25mm	0.30	R 179,10
MW922	76mm	12mm	0.30	R 121,60
MW905	76mm	12mm	0.15	R 192,90
MW923	76mm	20mm	0.30	R 179,10
MW924	76mm	25mm	0.30	R 213,30
MW932	100mm	12mm	0.30	R 133,80

MOUNTED WIRE WHEELS 6mm SHANK - CRIMPED STAINLESS STEEL ●

MSS404	50mm	6mm	0.30	R 130,10
MSS405	50mm	12mm	0.30	R 158,80
MSS406	50mm	25mm	0.30	R 250,80
MSS407	76mm	6mm	0.30	R 163,60
MSS408	76mm	12mm	0.30	R 170,30
MSS410	76mm	25mm	0.30	R 298,70
MSS411	100mm	12mm	0.30	R 187,40
MSS412	100mm	20mm	0.30	R 343,60

MOUNTED WIRE WHEELS 6mm SHANK - CRIMPED BRASS ●


MB574	50mm	12mm	0.30	R 295,70
MB575	50mm	25mm	0.30	R 344,50
MB593	76mm	12mm	0.30	R 303,80
MB577	76mm	20mm	0.30	R 360,70
MB594	76mm	25mm	0.30	R 438,60
MB595	100mm	12mm	0.30	R 345,20
MB578	100mm	20mm	0.30	R 451,50

DISH BRUSHES - CRIMPED CARBON STEEL ●

CODE	DIAM	WIDTH	THREAD	WIRE	PRICE EX
D10012142	100mm	12mm	M14x2mm	0.30	R 209,30


DISH BRUSHES - KNOTTED CARBON STEEL ●

D10012142KNT	100mm	12mm	M14x2mm	0.50	R 203,70
D11512142KNT	115mm	12mm	M14x2mm	0.50	R 234,70



Mounted Wire Wheel 6mm Shank

S = Shank • D = Diameter • W = Width



Dish Brush

T = Thread • D = Diameter • W = Width

CUP BRUSHES - CRIMPED CARBON STEEL ●

CODE	DIAM	THREAD	WIRE	PRICE EX
C662142	60mm	M14x2mm	0.30	R 204,70
C663058	76mm	5/8"BSW	0.40	R 229,80
C663142	76mm	M14x2mm	0.30	R 227,60
C657058	100mm	5/8"BSW	0.40	R 363,20
C657142	100mm	M14x2mm	0.40	R 359,80
C652058	140mm	5/8"BSW	0.40	R 482,50
C652142	140mm	M14x2mm	0.40	R 478,90
CH650142	150mm	M14x2mm	0.40	R681,70

CUP BRUSHES - CRIMPED STAINLESS STEEL ●

CSS662142	60mm	M14x2mm	0.30	R 286,60
CSS663142	76mm	M14x2mm	0.30	R 318,70
CSS664058	100mm	5/8"BSW	0.40	R 508,50
CSS664142	100mm	M14x2mm	0.40	R 503,80
CSS654058	140mm	5/8"BSW	0.40	R 674,80
CSS654142	140mm	M14x2mm	0.40	R 670,50

CUP BRUSHES - CRIMPED BRASS ●

CB658142	60mm	M14x2mm	0.30	R 527,30
CB657142	76mm	M14x2mm	0.30	R 570,50

CUP BRUSHES - KNOTTED CARBON STEEL ●

KC685142	60mm (1 Row)	M14x2mm	0.50	R 204,90
KC681058	140mm (2 Row)	5/8"BSW	0.80	R 649,90
KC681142	140mm (2 Row)	M14x2mm	0.80	R 643,80
KC682142	140mm (2 Row)	M14x2mm	0.50	R 668,50
KCR682058	80mm (1 Row/RR)*	5/8"BSW	0.80	R 435,60
KCR682142	80mm (1 Row/RR)*	M14x2mm	0.80	R 431,60
KCR684142	100mm (1 Row/RR)*	M14x2mm	0.80	R 580,70

*Removable Ring

MOUNTED CUP BRUSHES 6mm SHANK - CRIMPED CARBON STEEL ●

MC1004	40mm x 15mm	Shank	0.30	R 134,20
MC1005	50mm x 20mm	Shank	0.20	R 212,20
MC1001	50mm x 30mm	Shank	0.30	R 141,00
MC1006/30	60mm x 20mm	Shank	0.30	R 215,70


MOUNTED CUP BRUSHES 6mm SHANK - CRIMPED STAINLESS STEEL ●

MCS1033	50mm x 30mm	Shank	0.30	R 197,40
MCS1034	60mm x 20mm	Shank	0.20	R 302,00


MOUNTED CUP BRUSHES 6mm SHANK - CRIMPED BRASS ●

MB1011	60mm x 20mm	Shank	0.30	POR
MB1022	70mm x 20mm	Shank	0.30	POR

*RR = Removable Ring



Cup Brush



Mounted Cup Brush 6mm Shank

S = Shank • D = Diameter • T = Thread

PORT CLEANING BRUSHES 6mm SHANK
CRIMPED CARBON STEEL ●

CODE	DIAM	WIRE	PRICE EX
PC850	6mm Flat Trim	0.30	R 72,30
PC865	10mm Flat Trim	0.30	R 90,70
PC851	15mm Flat Trim	0.30	R 114,50
PC852	20mm Flat Trim	0.30	R 139,30
PC853	25mm Flat Trim	0.40	R 226,10
PC855	20mm Cup, 45mm Head Busby Brush	0.30	R 162,70
PC867	20mm Pointed Trim	0.30	R 143,80


PORT CLEANING BRUSHES 6mm SHANK
CRIMPED STAINLESS STEEL ●

PC815S/SN	15mm Flat Trim	0.30	R 160,30
PC820S/SN	20mm Flat Trim	0.30	R 195,10
PC825S/SN	25mm Flat Trim	0.30	R 316,60
PC820PS/SN	20mm Pointed Trim	0.30	R 201,40


PORT CLEANING BRUSHES 6mm SHANK
CRIMPED BRASS ●

PC815/BRN	15mm Flat Trim	--	POR
PC820/BRN	20mm Flat Trim	--	POR
PC820P/BRN	20mm Pointed Trim	--	POR

All prices are subject to change and exclude VAT



Flat Port Cleaner



Pointed Port Cleaner

D = Diameter • S = Shank

BOILER TUBE BRUSHES - STEEL ●

BSW THREADED FITTING, END LOOP - STANDARD SPIRAL TYPE

CODE	DIAM	BSW	WIRE	PRICE EX
BS751	25mm	1/2"BSW	0.35	R 295,20
BS752	28mm	1/2"BSW	0.35	R 295,20
BS777	30mm	1/2"BSW	0.35	R 295,20
BS753	32mm	1/2"BSW	0.35	R 295,20
BS772	35mm	1/2"BSW	0.35	R 295,20
BS754	38mm	1/2"BSW	0.35	R 295,20
BS778	41mm	1/2"BSW	0.35	R 295,20
BS755	44mm	1/2"BSW	0.35	R 295,20
BS765	46mm	1/2"BSW	0.35	R 295,20
BS773	48mm	1/2"BSW	0.35	R 295,20
BS756	50mm	1/2"BSW	0.35	R 325,40
BS757	57mm	1/2"BSW	0.35	R 325,40
BS774	60mm	1/2"BSW	0.35	R 325,40
BS758	63mm	1/2"BSW	0.35	R 325,40
BS759	70mm	1/2"BSW	0.35	R 325,40
BS760	76mm	1/2"BSW	0.35	R 389,70
BS761	82mm	1/2"BSW	0.35	R 389,70
BS762	89mm	1/2"BSW	0.35	R 389,70
BS764	100mm	1/2"BSW	0.35	R 450,70
BS767	121mm	1/2"BSW	0.35	R 450,70
BS771	152mm	1/2"BSW	0.35	R 613,60
BS775	178mm	1/2"BSW	0.35	R 731,90
BS776	200mm	1/2"BSW	0.35	R 858,20
BS780	241mm	1/2"BSW	0.35	R 892,90

CONDENSER TUBE BRUSHES - STEEL ●

SPS1012	12.7mm	1/4"BSW	0.35	R 304,40
SPS1013	16mm	5/16"BSW	0.35	R 304,40
SPS1014	19mm	5/16"BSW	0.35	R 304,40
SPS1015	22mm	5/16"BSW	0.35	R 304,40

CONDENSER TUBE BRUSHES - NYLON ○

SPN1072	12.7mm	1/4"BSW	0.35	R 369,10
SPN1073	16mm	5/16"BSW	0.35	R 369,10
SPN1074	19mm	5/16"BSW	0.35	R 369,10
SPN1075	22mm	5/16"BSW	0.35	R 369,10
SPN1076	25mm	5/16"BSW	0.35	R 369,10

CONDENSER TUBE BRUSHES - BRASS ●


SPB1024	12.7mm	1/4"BSW	0.35	R 433,40
SPB1025	16mm	5/16"BSW	0.35	R 433,40
SPB1026	19mm	5/16"BSW	0.35	R 433,40
SPB1027	22mm	5/16"BSW	0.35	R 433,40

EXTENTION RODS

1MRODX1/2	One-Meter Rod (Steel Only) x 1/2 BSW	R 495,20
1MRODX1/4	One-Meter Rod (Steel Only) x 1/4 BSW	R 495,20
1MRODX5/16	One-Meter Rod (Steel Only) x 5/16 BSW	R 495,20

SEWER BRUSHES

SEW100	Spiral w 1/2" BSW Male Fitting 100mm	R 411,00
SEW150	Spiral w 1/2" BSW Male Fitting 150mm	R 557,00



Tube Brush

- D = Diameter • L = Length
- B = Brush Lay • T = Thread

HOUSEHOLD BROOMS

CODE	DESCRIPTION	PRICE EX
031/1L	Soft Flagged Broom, Wooden Back, Fitting & Handle	R 86,80
BR032U/1	Flagged Synthetic Broom, Plastic Fitting, Bumpers & Handle	R 68,40



PLATFORM YARD BROOMS (WITH METAL STAY)

CODE	DESCRIPTION	PRICE EX
114/1/007	450mm Hard Platform Broom with Handle & Grip (Maroon)	R 115,80
115/1/007	600mm Hard Platform Broom with Handle & Grip (Maroon)	R 130,60
112/1/007	450mm Soft Platform Broom with Handle & Grip (Black)	R 115,70
113/1/007	600mm Soft Platform Broom with Handle & Grip (Black)	R 130,40



BASS BROOMS (GARDEN SERVICES)

CODE	DESCRIPTION	PRICE EX
015/1	380mm Poly Bass Broom with Handle & Grip	R 160,90



BUILDERS BRUSHES

CODE	DESCRIPTION	PRICE EX
157	Block Whitewash Brush with Plastic Handle	R 36,20
089	280mm Synthetic Builders Scrubbing Brush	R 37,30



WIRE WELDER & SCRUBBING BRUSHES

CODE	DESCRIPTION	PRICE EX
167	5 Row Welders Brush (handle type) - Tensile Steel Wire	R 49,10
161	Plastic Welders Brush (handle type) - Stainless Steel Wire	R 82,30
165	Fine Wire block Brush Wooden back - Tensile Steel Wire	R 45,70
166	Coarse Wire block Brush Wooden back - Tensile Steel Wire	R 51,30



MOPS & MOPPING EQUIPMENT

CODE	DESCRIPTION	PRICE EX
9507/01	300g Jumbo Wet Mop with Wooden Handle	R 73,10
9480/1	400g Mega Mop with Wooden Handle	R 91,30
9504	Wringer (Fan) Mop Refill	R 70,20
9504/1	Wringer (Fan) Mop Refill with 1.2m x 25mm Handle & Clip	R 174,90
9240	Wringer (Fan) Mop Handle (1.2m x 25mm) & Clip	R 104,70



BAR CODE LISTING (BY PRODUCT CODE)

WIRE WHEELS (CARBON STEEL)

W509	6005573 00087-1
W580	6005573 00386-5
W517/12.7	6005573 00357-5
W517/16	6005573 00358-2
W518	6005573 00359-9
W536	6005573 00360-5
W519/30W	6005573 00352-0
W584	6005573 00363-6
W482	6005573 00364-3
W520	6005573 00365-0
W585	6005573 00366-7
W557	6005573 00368-1
W526/30W	6005573 00350-6
W526/40W	6005573 00351-3
W528	6005573 00369-8

CUP BRUSHES (CARBON STEEL)

C662142	6005573 00408-4
C66210125	6005573 00410-7
C663058	6005573 00415-2
C663142	6005573 00409-1

MOUNTED WIRE WHEELS 6mm SHANK (STAINLESS STEEL)

MSS402	6005573 00514-2
MSS405	6005573 00517-3
MSS408	6005573 00520-3

CUP BRUSHES (STAINLESS STEEL)

CSS662142	6005573 00411-4
CSS66314-2	6005573 00409-1
CSS664058	6005573 00412-1
CSS664142	6005573 00411-4
CSS654058	6005573 00413-8
CSS654142	6005573 00414-5

MOUNTED CUP BRUSH 6mm SHANK (CARBON STEEL)

MC1004	6005573 00440-4
MC1001	6005573 00441-1

WIRE WHEELS (STAINLESS STEEL)

WSS569	6005573 00483-1
WSS567	6005573 00484-8
WSS561	6005573 00476-3
WSS562	6005573 00477-0

KNOTTED CUP BRUSH (CARBON STEEL)

KC685142	6005573 00425-1
KC681058	6005573 00426-8
KC681142	6005573 00427-5
KCR682058	6005573 00428-2
KCR682142	6005573 00429-9
KCR684058	6005573 00432-9
KCR684142	6005573 00433-6

MOUNTED CUP BRUSH 6mm SHANK (STAINLESS STEEL)

MCS1032	6005573 00447-3
---------	-----------------

KNOTTED WIRE WHEELS (CARBON STEEL)

KW612/16/40	6005573 00474-9
KW601/16/40	6005573 00465-7
KW602/16/40	6005573 00466-4
KW602/22/40	6005573 00475-6
KW603/16/40	6005573 00463-3
KW603/16/80	6005573 00464-0

MOUNTED WIRE WHEELS 6mm SHANK (CARBON STEEL)

MW902	6005573 00015-4
MW911	6005573 00016-1
MW914	6005573 00018-5
MW912	6005573 00017-8
MW922	6005573 00020-8
MW923	6005573 00507-4

PORT CLEANING BRUSHES 6mm SHANK (CARBON STEEL)

PC850	6005573 00026-0
PC865	6005573 00027-7
PC851	6005573 00028-4
PC852	6005573 00029-1
PC853	6005573 00030-7
PC855	6005573 00031-4



WERNER
www.wernerbrushware.co.za